





GIORDANO

VACCINATION DEVICES



TECHNICAL BROCHURE

Spray Wagons

S-WAGONS

Ref TB.8.00

50 L - 120 L

S-WAGONS 50 L - 120 L

Fully electric vaccination device for spray application of live vaccines on farms. Completely adjustable to meet all vaccination requirements.

- **Different types of nozzles** available, covering droplet sizes from **below 100 µm up to 300 µm**, suitable for all spray applications;
- **50 L / 120 L tank capacity**;
- **Gel battery** providing **up to 4 hours of continuous operation**;
- **Double-arm system**, with **up to 8+8 adjustable levels**, allowing vaccination of all tiers using **movable nozzle supports**;
- **Homogeneous dosage** ensured by our connection system, where **the top nozzle and bottom nozzle maintain identical output pressure**;
- **Operating pressure** is clearly visible and adjustable from the **hand-mounted manometer**, enabling full control of the vaccination process.


Big / Medium farm

Fully electric

Wagon spray system

Up to 8+8 level, homogeneous pressure

Spare parts available





S-Wagon 120 L

SPECIFICATIONS

ARTICLE CODES	0900201 (50 L version) 0900066 (120 L version)
CAPACITY	50 L (cod. 0900201) 120 L (cod. 0900066)
WEIGHT	70 kg (cod. 0900201) 140 kg (cod. 0900066)
DIMENSIONS (H x D x L)	310 x 80 x 120 cm
MATERIALS	Stainless steel Rubber Polycarbonate
INCLUDED WITH	Extra nozzles Transparent pipes Connections 1 x battery charger

NOZZLE CODE/COLOUR	TYPE	MEDIUM DROPLET	DISEASE (example)
TP800050/METAL 	FAN	< 80	IB
TP800067/METAL 	FAN	< 100	
TP8001EVS/ORANGE 	FAN	120	IB / ND
TP80015EVS/GREEN 	FAN	140	
TP8002EVS/YELLOW 	FAN	180	COX
TP8003EVS/BLUE 	FAN	240	

Consider a tolerance of ± 20 microns when increasing or decreasing the operating pressure.



www.giordanoglobal.com
info@giordanoglobal.com

